



BT TRADING
Approved by the finest

KATALOG İÇERİĞİ

Kare Profil.....	2
Dikdörtgen Profil.....	3
Sanayi Boruları.....	4
Antipas Boyalı Boru ve Profiller.....	5
Galvanizli Sacdan Boru ve Profiller.....	6
CR/HR Plaka Sac & CR/HR Rulo & Galvaniz Rulo.....	7



EBAT	KARE PROFİL ÜRETİM ARALIĞI													
	KALINLIK													
BOY	0.70	0.80	0.90	1.00	1.20	1.50	2.00	2.50	3.00	3.50	4.00	5.00	6.00	6.30
15x15	√	√	√	√	√	√	√							
20x20	√	√	√	√	√	√	√							
25x25	√	√	√	√	√	√	√	√						
30x30	√	√	√	√	√	√	√	√	√					
35x35	√	√	√	√	√	√	√	√	√	√				
40x40	√	√	√	√	√	√	√	√	√	√	√			
45x45					√	√	√	√	√	√	√			
50x50					√	√	√	√	√	√	√	√		
60x60						√	√	√	√	√	√	√	√	
70x70							√	√	√	√	√	√	√	√
80x80							√	√	√	√	√	√	√	√
90x90							√	√	√	√	√	√	√	√
100x100							√	√	√	√	√	√	√	√
120x120								√	√	√	√	√	√	√

ÜRETİM STANDARTLARI:

EN 10219, S235 JRH , S275JR, S275 J0 , ASTM A500 GR A , ASTM A 500 GR B

ÜRETİM BOYU:

MİNİMUM 4000MM, MAKSİMUM 12000MM'ye kadar.



EBAT	DİKDÖRTGEN PROFİL ÜRETİM ARALIĞI													
	KALINLIK													
BOY	0.70	0.80	0.90	1.00	1.20	1.50	2.00	2.50	3.00	3.50	4.00	5.00	6.00	6.30
10x20	✓	✓	✓	✓	✓	✓	✓							
10x30	✓	✓	✓	✓	✓	✓	✓							
15x25	✓	✓	✓	✓	✓	✓	✓							
20x30	✓	✓	✓	✓	✓	✓	✓	✓						
20x40	✓	✓	✓	✓	✓	✓	✓	✓	✓					
20x50						✓	✓	✓	✓	✓				
20x60						✓	✓	✓	✓	✓	✓			
25x50						✓	✓	✓	✓	✓	✓	✓		
30x40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
30x50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
30x60						✓	✓	✓	✓	✓	✓	✓	✓	✓
30x70						✓	✓	✓	✓	✓	✓	✓	✓	✓
40x50						✓	✓	✓	✓	✓	✓	✓	✓	✓
40x60						✓	✓	✓	✓	✓	✓	✓	✓	✓
40x80						✓	✓	✓	✓	✓	✓	✓	✓	✓
40x100						✓	✓	✓	✓	✓	✓	✓	✓	✓
50x70						✓	✓	✓	✓	✓	✓	✓	✓	✓
50x90						✓	✓	✓	✓	✓	✓	✓	✓	✓
50x100						✓	✓	✓	✓	✓	✓	✓	✓	✓
60x80						✓	✓	✓	✓	✓	✓	✓	✓	✓
60x100						✓	✓	✓	✓	✓	✓	✓	✓	✓
60x120						✓	✓	✓	✓	✓	✓	✓	✓	✓
80x100						✓	✓	✓	✓	✓	✓	✓	✓	✓
80x120						✓	✓	✓	✓	✓	✓	✓	✓	✓
80x150						✓	✓	✓	✓	✓	✓	✓	✓	✓
100x150						✓	✓	✓	✓	✓	✓	✓	✓	✓

ÜRETİM STANDARTLARI:

EN 10219, S235 JRH , S275JR, S275 J0 , ASTM A500 GR A , ASTM A 500 GR B

ÜRETİM BOYU:

MİNİMUM 4000MM, MAKSİMUM 12000MM'ye kadar.

SANAYİ BORULARI



SANAYİ BORULARI ÜRETİM ARALIĞI TABLOSU														
EBAT	KALINLIK													
BOY	0.70	0.80	0.90	1.00	1.20	1.50	2.00	2.50	3.00	3.50	4.00	5.00	6.00	6.30
16	✓	✓	✓	✓	✓	✓								
19	✓	✓	✓	✓	✓	✓								
21.3	✓	✓	✓	✓	✓	✓	✓	✓	✓					
25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
26.9	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
32	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
33.7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
38.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
42.4			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
48.3					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
51						✓	✓	✓	✓	✓	✓	✓	✓	✓
57						✓	✓	✓	✓	✓	✓	✓	✓	✓
60.3						✓	✓	✓	✓	✓	✓	✓	✓	✓
76.1						✓	✓	✓	✓	✓	✓	✓	✓	✓
88.9							✓	✓	✓	✓	✓	✓	✓	✓
101.6							✓	✓	✓	✓	✓	✓	✓	✓
114.3							✓	✓	✓	✓	✓	✓	✓	✓
127								✓	✓	✓	✓	✓	✓	✓
139.7									✓	✓	✓	✓	✓	✓
151.7										✓	✓	✓	✓	✓
165											✓	✓	✓	✓

ÜRETİM STANDARTLARI:

EN 10219, S235 JRH , S275JR, S275 J0 , ASTM A500 GR A , ASTM A 500 GR B

ÜRETİM BOYU:

MİNİMUM 4000MM, MAKSİMUM 12000MM'ye kadar

ANTİPAS BOYALI BORU VE PROFİLLER



ANTİPAS BOYALI BORU ve PROFİLLER ÜRETİM ARALIĞI TABLOSU														
EBAT	KALINLIK													
	BOY	0,70	0,80	0,90	1,00	1,20	1,50	2,00	2,50	3,00	3,50	4,00	5,00	6,30
20x20	✓	✓	✓	✓	✓	✓	✓							
25x25	✓	✓	✓	✓	✓	✓	✓	✓						
30x30	✓	✓	✓	✓	✓	✓	✓	✓	✓					
35x35	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
40x40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
45x45						✓	✓	✓	✓	✓	✓			
50x50						✓	✓	✓	✓	✓	✓	✓		
60x60							✓	✓	✓	✓	✓	✓	✓	
70x70							✓	✓	✓	✓	✓	✓	✓	
80x80							✓	✓	✓	✓	✓	✓	✓	✓
90x90								✓	✓	✓	✓	✓	✓	✓
100x100								✓	✓	✓	✓	✓	✓	✓
120x120								✓	✓	✓	✓	✓	✓	✓

ÜRETİM STANDARTLARI:

EN 10219, S235 JRH, S275JR, S275 J0, ASTM A500 GR A, ASTM A 500 GR B

ÜRETİM BOYU:

MİNİMUM 4000MM, MAKSİMUM 7500MM'ye kadar.

GALVANİZLİ SACDAN BORU VE PROFİLLER



GALVANİZ SACDAN MAMUL BORU ve PROFİLLER ÜRETİM ARALIĞI TABLOSU													
EBAT	KALINLIK												
	BOY	0,70	0,80	0,90	1,00	1,20	1,50	2,00	2,50	3,00	3,50	4,00	5,00
20x20	✓	✓	✓	✓	✓	✓	✓						
25x25	✓	✓	✓	✓	✓	✓	✓	✓					
30x30	✓	✓	✓	✓	✓	✓	✓	✓	✓				
35x35	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
40x40	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
45x45					✓	✓	✓	✓	✓	✓	✓		
50x50					✓	✓	✓	✓	✓	✓	✓	✓	
60x60						✓	✓	✓	✓	✓	✓	✓	✓
70x70							✓	✓	✓	✓	✓	✓	✓
80x80								✓	✓	✓	✓	✓	✓
90x90									✓	✓	✓	✓	✓
100x100										✓	✓	✓	✓
120x120											✓	✓	✓

ÜRETİM STANDARTLARI:


Z80 gr / m², Z100, Z140, Z150, Z275 KAPLAMA

ÜRETİM BOYU:

MINIMUM 4000MM, MAKSİMUM 12000MM'ye kadar.

CR/HR PLAKA SAC & CR/HR RULO & GALVANİZ RULO

CR/HR PLAKA SAC



ÜRETİM BOYU:

MİNİMUM 2000MM,12000MM'ye kadar.

CR/HR RULO



GALVANİZ RULO

